

Redefining Machine Learning Techniques and Object Detection to Increase Accuracy and Efficiency: Review

Rebin Abdulkareem Hamaamin^{1,*}, Omar Mohammed Amin Ali², Nura Jamal Bilal³,
Shahab Wahhab Kareem³

1. Computer Science, College of Sciences, Charmo University, Chamchamal, Sulaimani, KRG, Iraq.
2. Department of IT, Chamchamal Technical Institute, Sulaimani Polytechnic University, KRG, Iraq.
3. Department of Technical Information Systems Engineering, Technical Engineering College, Erbil Polytechnic University, KRG, Iraq.

*Corresponding author E-mail: rebin.abdulkarim@chu.edu.iq

<https://doi.org/10.29072/basjs.20240222>

ARTICLE INFO

ABSTRACT

Keywords

Object Detection,
Deep Learning,
Machine Learning,
Real-time
Surveillance, Dataset
Diversity.

Deep learning has significantly improved machine vision object detection, especially for applications like surveillance, environmental monitoring, and UAV data interpretation. This study examines machine learning methods for object identification, focusing on image, instance, object, and semantic segmentation. It emphasizes the importance of deep CNNs, which utilize convolutional layers, pooling, and non-linear activation to enhance accuracy and speed. Backbone networks face the challenge of balancing performance and efficiency. Techniques like handling uneven sampling, localization, optimization, and cascade learning play a crucial role in improving detection. Data analysis intensification further supports model refinement. Enhancements such as test-stage model acceleration and duplication elimination boost detection speed and accuracy. The use of pyramidal and mirror structures enhances object recognition, making these techniques essential for improving detection in machine vision systems. Overall, deep learning, especially deep CNNs and GPUs, continues to advance the field of object detection.

Received 27 Nov 2024; Received in revised form 13 Dec 2024; Accepted 25 Dec 2024, Published 31 Dec 2024



1. Introduction

The field of computer vision has undergone a significant transformation in recent years, primarily driven by the integration of deep learning techniques into object detection methodologies. Object detection, a core challenge in computer vision, is critical for various applications such as surveillance, ecological monitoring, and analyzing data collected by unmanned aerial vehicles (UAVs) [3]. Traditionally, object detection relied on sliding window techniques and handcrafted feature extraction methods, which often struggled with issues such as scale variation, occlusion, and computational inefficiency. However, the advent of deep learning has revolutionized the field. Methods like Faster R-CNN, YOLO, and SSD have drastically improved detection accuracy and speed by leveraging convolutional neural networks (CNNs), which excel at learning hierarchical data representations autonomously. GPUs, with their high computational power, further accelerate these models' training and inference processes [11]. Both generic and domain-specific object detection methods now utilize deep learning-based computational models. These models perform tasks such as segmentation, classification, object localization, and feature extraction, forming the backbone of most modern object detection systems. For instance, in ecological monitoring, deep learning enables the accurate identification of wildlife from camera trap images, while in UAV-based aerial data analysis, it facilitates precise detection of objects from complex and dynamic environments [3]. The primary motivation for this review is to bridge the gap between theoretical advancements in object detection and their practical applications. This involves addressing persistent issues such as balancing accuracy and efficiency, overcoming data scarcity, and ensuring robustness across diverse settings. The study hypothesizes that leveraging deep learning techniques improves object detection's accuracy, efficiency, and adaptability, making it suitable for real-world scenarios. [1],[2]. The objectives of this review are threefold. First, it aims to compare state-of-the-art deep learning techniques for object detection across various datasets, such as ecological camera trap data and low-altitude UAV datasets. Second, it evaluates these methods' performance in specific applications, such as autonomous driving and wildlife monitoring. Third, it identifies gaps in the field and proposes future research directions to enhance the applicability of object detection systems [3]. To provide a comprehensive understanding, this review incorporates significant contributions from recent works. For example, [1] discusses the challenges of applying deep learning to ecological camera trap data, highlighting the need for context-aware detection models. [2] systematically assesses advancements and trends in deep learning-based object detection



techniques, focusing on improving accuracy and efficiency. [3] offers insights into object detection for aerial scenarios, emphasizing datasets from low-altitude UAVs, while [4] introduces an intelligent vision system leveraging machine learning for autonomous object recognition. The continuous evolution of object detection approaches reflects the active efforts of researchers and practitioners to enhance the precision, efficiency, and applicability of these systems across diverse contexts. By synthesizing insights from significant sources, this review provides readers with a comprehensive understanding of current trends, constraints, and advantages in the field. aerial vehicles (UAVs). The paper [4] introduces the concept of an intelligent vision system, demonstrating the application of machine learning for autonomous object detection and recognition. Figure 1 shows an example that includes these different identification tasks.




Figure 1: Advancement in object recognition methodologies: (a) image classification, (b) object detection, (c) semantic segmentation, and (d) instance segmentation [2].

2. Literature Review

In computer vision, the primary task of object detection is to locate and classify objects within images or video frames. This functionality is crucial for numerous applications, including industrial automation, augmented reality, surveillance, and autonomous vehicles. Recent advancements have significantly influenced object detection methods, enhancing both

accuracy and efficiency, particularly in the domains of deep learning and machine learning. This review examines the existing literature and emphasizes significant works that enhance our understanding and proficiency in employing object detection methodologies. The paper [5] introduces a sophisticated vision system that focuses on autonomous object detection and recognition. This system utilizes machine learning techniques and is considered a significant contribution to the field of applied intelligence. The primary goal is to create a sophisticated system capable of independently identifying and categorizing objects using machine learning techniques. The project's goal is to improve independent processing and understanding of visual input by investigating the relationship between vision capabilities and machine learning. This will fulfill the requirement for advanced systems in scenarios that involve detecting objects in real-time. The paper introduces a novel approach for video surveillance systems, known as Multi-Object Detection and Tracking (MODT). The journal *Circuits, Systems, and Signal Processing* published the research, which focuses on live monitoring and highlights the importance of accurately and efficiently detecting and tracking multiple objects simultaneously. The suggested MODT model utilizes machine learning techniques to enhance the capabilities of video surveillance systems, enabling them to effectively adapt to dynamic circumstances and real-world challenges. The research focuses primarily on the technical aspects of implementing and processing signals in the context of circuits, systems, and signal processing, while also exploring the application of the MODT model. Describe a case study that employs machine learning to identify objects in images, particularly for reservoir characterization, as referenced in [7]. The paper focuses on the utilization of machine learning methodologies in the fields of geoscience and reservoir engineering, specifically emphasizing the detection and characterization of fractures in shale formations. This paper examines the challenges associated with identifying fractures in reservoirs, a critical aspect of characterizing reservoirs for oil and gas extraction. The publication of the research in the *Leading Edge* demonstrates its importance to the geoscience community and highlights its contribution to the development of imaging technology for reservoir investigation. This utilization of machine learning presents a novel approach to address the problem, which involves the development of a machine learning model. challenges associated with fracture detection and provides valuable insights into the potential of automated image analysis for geological research. The article in question, as discussed in [8], specifically delves into the application of deep learning in the realm of object detection. It provides a comprehensive overview of the various techniques and approaches employed in this domain. The authors



examine the effectiveness and efficiency of deep learning models, offering valuable insights into their potential to enhance computer science's ability to detect objects. The study examines various aspects of using deep learning for object detection, offering insights into the challenges and benefits of this technological fusion. The research enhances our understanding of how deep learning improves object detection by examining the specific methods and approaches employed. Examine the suitability of applying end-to-end machine learning in experimental physics [9]. The main goal is to train a neural network for the particular job of video microscopy object recognition using simulated data. The researchers adopt a comprehensive approach, emphasizing the potential integration of machine learning techniques to enhance and accelerate processes in experimental physics. The paper emphasizes the use of simulated data as a neural network training resource, as well as the potential benefits and implications of an end-to-end machine learning framework for experimental physics. The work adds to the developing field of machine learning applications in scientific research, especially in the area of video microscopy for experimental physics, by addressing the opportunities and difficulties related to this strategy. [10] presents a new online visual object recognition tool called Fed vision. The main innovation lies in the integration of federated learning, a decentralized machine learning technique that facilitates model training across various devices without necessitating the exchange of raw data. To address the privacy and security concerns raised by centralizing sensitive visual data, the authors propose Fed vision as a privacy-preserving alternative. The paper's technical overview of the Fed vision platform highlights the implementation of federated learning for object detection tasks. Fed vision reduces privacy concerns Figure 2 illustrates how to spread model training among nearby devices without sacrificing its object-detecting performance. In particular, the research adds to the expanding field of federated learning applications in the domain of computer vision. This paper presents the incredibly compact You Only Look Once (YOLO) convolutional neural network YOLO Nano for object detection. We first presented this approach at a symposium on energy-efficient machine learning and cognitive computing, aiming to achieve effective object detection in a small framework. We designed the YOLO Nano architecture to operate in environments where energy conservation is crucial. efficiency or resource limitations are crucial considerations. The design philosophies, performance measurements, and possible applications of YOLO Nano are probably covered in the study about object detection [11]. It offers a simple, semi-supervised learning structure for detecting objects [12]. It presents a novel strategy that improves object detection model performance



by utilizing both labeled and unlabeled data. The Fra the framework likely integrates unsupervised learning strategies with supervised learning using labeled data, leveraging the potential of unlabeled data to enhance detection accuracy. rk may cover the technique, experimental findings, and ramifications of this semi-supervised learning strategy in the context of object detection in full. In [13], we introduced real-time object identification through machine learning. The main topic is the use of machine learning algorithms for real-time object detection, emphasizing the speed and effectiveness of the detection process. The information will probably cover the precise machine learning techniques utilized, the training and testing datasets, and the practical applications of real-time object recognition.




Figure 2: The workflow for training a visual object detection algorithm using Fed Vision, which incorporates data from numerous users

3. Methodology

A key component of machine learning is object detection, which is the process of locating target items in images and enclosing them in bounding boxes. The different results, the non-uniform size of bounding boxes, and the requirement to handle classification and localization problems are the main causes of the difficulties in object detection. Backbone networks are usually important in object detection tasks where the output is a feature map and the input is an image. These networks, which mostly concentrate on the final fully linked layers, are frequently modified from designs created for classification problems. Lin et al. [14] improved this idea by replacing some intermediary layers with ones specifically designed to better satisfy particular needs. A range of backbone architectures are available for researchers to select from, including lightweight choices like MobileNet, ShuffleNet, and Xception that are appropriate for mobile devices, as well as deeper and densely connected networks like ResNext and AmoebaNet [2]. Wang et al. [15] integrated PeeleNet and SSD for real-time object detection, resulting in a cutting-edge system with quick processing. The trade-off between speed and accuracy determines which backbone networks are best. While well-designed architectures that strike a compromise between speed and accuracy are essential for real-time requirements, particularly in video and webcam applications, more complicated designs are required for high precision and accuracy applications. Deeper and more densely connected backbone networks take the role of shallower and sparsely connected ones to achieve competitive detection accuracy. Additionally, object detection has advanced dramatically due to advances in processing power and deep learning approaches. Identify applicable sponsor/s here. If no sponsors, delete this text box (sponsors). Deep convolutional neural networks (CNNs) are highly useful in machine vision and visual comprehension. A sequence of convolutional layers, pooling layers, non-linear activation layers, and a group of fully linked layers make up a typical deep CNN, as seen in Figure 3. At the start of the process, the convolutional layer receives a sample image and performs convolutional operations using $n \times n$ kernels or anchors to create a feature map. The process produces a multi-channel sequence that contains specific information about each channel of the input image. Each pixel in the feature map represents a neuron interacting with a group of nearby neurons from the previous feature map to produce a receptive field. Novel learning algorithms are required in

the object identification domain due to the difficulties of localization, imbalance sampling, and optimization complications.

3.1 Learning Techniques for Instruction: Data Intensification: Data intensification is a critical component of deep learning systems. It entails adding methods such as horizontal flips to training data to greatly improve detection accuracy.

3.1.1 Refining Localization: Methods such as bounding box regression loss and smooth L1 regressors improve object localization's precision. Innovations like grid R-CNN and LocNet further refine predictions.




Figure 3. Fundamental Architecture of CNN [2]

3.1.2 Cascaded Learning: By refining region proposals and using cascaded learning, coarse-to-fine learning systems, such as the CRAFT model, improve detection performance.

3.1.3 Adversarial Learning: We employ models such as perceptual GAN and GAN-trained models. Using adversarial learning, faster R-CNN improves detection robustness against adversarial cases.

3.1.4 Learning from Scratch: As demonstrated in DSOD and gated recurrent feature pyramids, training detectors from scratch mitigates optimization issues and overcomes the constraints of pre-trained models.

3.1.5 Imbalanced Sampling: We use strategies like random sampling and focus loss to address both positive and negative sample imbalances in order to improve classification and detection accuracy.

3.1.6 Distillation of Knowledge: By transferring knowledge from ensemble models to a single optimal model, knowledge distillation—which makes use of teacher-student training schemes improves detection performance.

3.2 Strategies for the Testing Stage: Elimination of Duplicates: For both single-stage and double-stage detectors, the Non-Maximum Suppression (NMS) operation is essential for removing redundant predictions and improving accuracy.

3.2.1 Model Acceleration: Light-Headed R-CNN and MobileNet are models that prioritize computational efficiency for practical applications. Additionally, techniques such as Soft-NMS reduce redundant predictions without completely discarding them.

3.3 Additional contemporary learning methodologies: multi-scale predictions use image pyramids to enhance detection performance by combining predictions made at different object scales. Horizontal flipping enhances performance by considering flipped versions of input photos, a technique commonly used during testing. These learning methodologies help to advance object detection by resolving issues and improving detection models' capabilities.

4. Analysis and Discussion

Object detection involves determining whether an object belongs to a specific category and subsequently locating and identifying it within an image. Researchers commonly employ bounding boxes to depict the precise positioning of objects. Researchers utilize complex datasets from diverse fields to achieve specific objectives and establish a standardized benchmark for comparing different algorithmic methods. Previously, face detection methods relied on ad-hoc datasets, but recent advancements have led to the development of advanced face detection datasets. Additionally, to address challenges like pedestrian detection and generic object detection, we have created datasets containing widely used benchmarks like PASCAL VOC, ImageNet, and MSCOCO [2]. This section provides a comprehensive overview of widely recognized datasets, accompanied by a thorough evaluation of their efficacy. Table 1's research demonstrates the diverse range of approaches and applications for item detection in the field. Many research studies employ deep learning techniques, emphasizing their versatility across various domains. Studies, such as [1], emphasize the importance of considering the specific ecological context of video trap data. These studies show how we can customize deep learning techniques to detect specific items in various environmental settings. Conversely, [2] takes a comprehensive approach, conducting a



thorough analysis and assessment of object recognition methodologies based on deep learning. This resource is extremely advantageous for scholars and professionals who seek to understand the most sophisticated methodologies. Multiple articles, including [3] and [4], concentrate on specific uses, such as datasets for unmanned aerial vehicles (UAVs) at low altitudes, showcasing the effectiveness of deep learning-based object detection in various situations. Research such as [6], which introduces a Multi-Object Detection and Tracking (MODT) machine learning model for video surveillance systems, underscores the significance of real-time applications. This aligns with the growing need for prompt and precise identification of items in real-life scenarios. Furthermore, these studies provide not only methodology enhancements but also additional benefits. For instance, the study [17] emphasizes the potential impact of object detection in agriculture and disease control. It focuses on improving object detection, specifically tomato disease identification. In addition, [18] proposes a multi-agent system to enhance multimodal object detection by integrating multiple input sources. Collectively, these studies illustrate the versatility of object detection techniques across diverse contexts and their potential to significantly address specific issues. The publications exhibit a prominent inclination towards specific applications. An example of this is [17], which illustrates the use of deep learning in agricultural contexts, specifically improving tomato disease identification through object recognition. References [6], [13], and [20] discuss the emergence of machine learning models designed specifically for real-time video surveillance, object identification systems, and video applications, underscoring the significance of real-time applications in these studies. The requirement for real-time capabilities further emphasizes the usefulness of this technology in dynamic environments and surveillance scenarios. Moreover, authors [18] and [25] underscore the significance of adaptive models and multimodal capabilities in their research. These features enhance the ability of object detection systems to withstand and adjust to difficult real-world situations. The publications demonstrate a range of methodologies, including the development of highly compact CNNs like YOLO Nano [11] and the introduction of novel frameworks for semi-supervised learning in object detection [12]. Furthermore, [10]'s integration of federated learning in real-time object detection demonstrates the exploration of innovative methods to improve system efficiency and privacy. Furthermore, studies such as [16] and [24], which focus on object detection in specific fields such as aerial photography and operator interface images to identify diseases and banana plants, demonstrate the increasing utilization of object detection across different areas of study. These results demonstrate the continuous

development of object detection methods and their versatility, applicability, and proficiency

Table 1: Comparison of Some Related Work

Contribution/Achievement	Method	Dataset	and Aim Objective	Purpose of the Paper	Ref. and years
Provided insights into the performance of object detection methods in ecological settings.	Deep learning object detection	Ecological camera trap data	Detect objects in ecological camera trap data	Evaluate deep learning object detection methods for ecological data	[1] 2018
Comprehensive overview of existing object detection techniques and their characteristics.	Review and analysis of deep learning-based object detection techniques	-	Survey and comprehensive analysis of deep learning-based object detection techniques	Summarize and analyze the state of the art in deep learning-based object detection	[2] 2020
A comprehensive survey of existing methods for object detection in UAV datasets.	Deep learning-based object detection	Low-altitude UAV datasets	Survey of object detection methods in low-altitude UAV datasets	Evaluate and compare deep learning-based object detection in UAV datasets	[3] 2020
In this work we have proposed an intelligent machine learning system with capacity of autonomous learning of objects present in real environment	Autonomous object detection and recognition based on visual saliency	MRSA dataset	for processing natural images and not to mimic precisely human psychological or vision system	suggest a novel fast algorithm for visually salient object detection, robust to real-world illumination conditions	[4] 2020
Proposed an intelligent vision system for autonomous object detection and recognition.	Machine learning-based intelligent vision system	-	Autonomous object detection and recognition	Develop a machine learning-based intelligent vision system for object	[5] 2014

				detection and recognition	
Introduced a machine learning model for real-time multi-object detection and tracking.	Multi-object detection and tracking (MODT) machine learning model	-	Real-time video surveillance systems	Develop a real-time MODT machine learning model for video surveillance	[6] 2020
Applied object detection in reservoir characterization for improved characterization.	Machine-learning-based object detection for reservoir characterization	-	Reservoir characterization through object detection	Implement machine learning-based object detection for reservoir characterization	[21] 2021
Investigated the application of deep learning in the context of object detection.	Application of deep learning for object detection	-	Object detection using deep learning	Explore and apply deep learning for object detection	[22] 2021
Developed an end-to-end machine learning model for object detection in experimental physics.	End-to-end machine learning for experimental physics	Simulated data	Train a neural network for object detection in video microscopy	Apply machine learning for object detection in video microscopy	[23] 2020
Proposed FedVision, an online visual object detection platform powered by federated learning.	Online visual object detection platform powered by federated learning	-	Real-time object detection using federated learning	Develop an online platform for real-time object detection using federated learning	[24] 2020
Introduced YOLO Nano, a highly compact CNN for efficient object detection.	YOLO nano: A highly compact object detection CNN	-	Compact object detection CNN	Design a highly compact YOLO CNN for efficient object detection	[25] 2023
Introduced a straightforward semi-supervised learning	Simple semi-supervised learning	-	Semi-supervised learning for object detection	Propose a simple framework for semi-	[26] 2019

framework for object detection.	framework for object detection			supervised learning in object detection	
Developed a real-time object detection system using machine learning.	Real-Time Object Detection using Machine Learning	-	Real-time object detection	Implement real-time object detection using machine learning	[21] 2021
Proposed a novel approach using feature pyramid networks for object detection.	Feature Pyramid Networks for object detection	-	Object detection using feature pyramid networks	Introduce feature pyramid networks for improved object detection	[22] 2021
Developed Pelee, a real-time object detection system optimized for mobile devices.	Pelee: A real-time object detection system on mobile devices	-	Real-time object detection on mobile devices	Design a real-time object detection system suitable for mobile devices	[23] 2020
Developed a system for object detection and analysis in operator interface images.	Object detection using computer vision and machine learning	Operator interface images	Object detection, information extraction, and analysis of operator interface images	Apply computer vision and machine learning for object detection and analysis	[24] 2020
Proposed a real-time object detection algorithm suitable for video applications.	Object detection improvement for tomato disease using deep learning	-	Improvement of object detection for tomato disease	Improve object detection for tomato disease using deep learning	[25] 2023
Enhanced object detection methods for improved identification of tomato disease.	Multi-agent System for Multimodal Machine Learning Object Detection	-	Multi-agent system for multimodal object detection	Develop a multi-agent system for object detection using multimodal machine learning	[26] 2019
Proposed a multi-agent	Deep learning object detection	-	Object detection for optical	Apply deep learning for	[21] 2021

system for object detection with multimodal capabilities.	for optical monitoring of spatters in L-PBF		monitoring of spatters	object detection in optical monitoring of spatters in L-PBF	
Developed a deep learning model for object detection in the optical monitoring of spatters.	Real-time object detection algorithm for video	-	Real-time object detection in video	Design a real-time object detection algorithm for video	[22] 2021
Explored the use of deep learning in self-driving cars for object detection and scene perception.	Deep learning for object detection and scene perception in self-driving cars	-	Object detection and scene perception for self-driving cars	Investigate deep learning for object detection and scene perception in self-driving cars	[23] 2020
Proposed an intelligent system for small object detection in the digital twin of smart manufacturing.	Intelligent small object detection for digital twin in smart manufacturing	-	Small object detection for digital twin in smart manufacturing	Develop intelligent small object detection for digital twin applications in smart manufacturing	[24] 2020
Introduced a modified YOLO neural network for object detection.	Object detection through a modified YOLO neural network	-	Object detection using a modified YOLO neural network	Implement object detection through a modified YOLO neural network	[25] 2023
Proposed a system for detecting banana plants and diseases in aerial images.	Detection of banana plants and diseases through aerial images	DR Congo and the Republic of Benin	Detection of banana plants and diseases using aerial images	Develop a system for detecting banana plants and diseases through aerial images	[26] 2019
Proposed an adaptive model for visual sentiment	Adaptive Visual Sentiment Prediction Model	Social media	Adaptive visual sentiment prediction	Develop an adaptive visual sentiment prediction	[21] 2021

prediction in social media.				model using object detection	
Developed a machine learning approach for automatic identification and counting of blood cells.	Automatic identification and counting of blood cells	-	Identification and counting of blood cells	Apply machine learning for automatic identification and counting of blood cells	[22] 2021

in addressing complex issues across various domains. Figure 4 visually represents the contributions of various methodologies from Table 1, highlighting the diversity in aims and objectives across the studies.




Figure 4: Horizontal bar chart comparing the contributions of methodologies in Table 1. Bars represent methodologies; the x-axis shows the number of contributions.

5. Conclusions

This study has explored the advancements and methodologies in object detection, particularly focusing on deep learning-based approaches. Through a comprehensive review of the literature and recent developments, it is clear that object detection continues to evolve with significant improvements in accuracy, speed, and efficiency. The use of advanced backbone networks, data augmentation techniques, and refined learning strategies such as adversarial learning and knowledge distillation has contributed to enhancing the robustness and precision of detection models. Furthermore, the development of real-time object detection systems for dynamic environments, as evidenced by studies on video surveillance, agricultural applications, and UAVs, highlights the practical significance of these advancements. The integration of lightweight architectures like MobileNet and advanced systems like multi-agent learning further demonstrates the potential of object detection to adapt to diverse application domains, from ecological monitoring to smart manufacturing. However, challenges remain in addressing issues such as imbalanced sampling, localization precision, and handling varying object scales. Future research should focus on refining these methods, exploring hybrid models, and further optimizing real-time detection capabilities to meet the demands of complex, real-world applications. This study has emphasized the importance of selecting appropriate methodologies based on the specific application and context, underlining the versatility of object detection technologies. The findings underscore the continuing progress in the field and the promising potential for further breakthroughs that will drive the future of intelligent visual systems.

References

- [1] S. Schneider, G.W. Taylor, S. Kremer, Deep learning object detection methods for ecological camera trap data, Proc. IEEE Conf. Comput. Robot Vis., 15(2018)321-328, <https://doi.org/10.1109/CRV.2018.00052>
- [2] V.K. Sharma, R.N. Mir, A comprehensive and systematic look up into deep learning-based object detection techniques: A review, Comput. Sci. Rev., 38(2020)100301, <https://doi.org/10.1016/j.cosrev.2020.100301>.
- [3] P. Mittal, R. Singh, A. Sharma, Deep learning-based object detection in low-altitude UAV datasets: A survey, Image Vis. Comput., 104(2020)104046, <https://doi.org/10.1016/j.imavis.2020.104046>.



- [4] R.R. Chinta, Autonomous Object Detection and Recognition Using a Machine Learning Based Smart System, *Int. J. Innov. Res. Comput. Commun. Eng.*, 8(2020)4050-4054. <https://ssrn.com/abstract=3734015>
- [5] D.M. Ramík, C. Sabourin, R. Moreno, K. Madani, A machine learning-based intelligent vision system for autonomous object detection and recognition, *Appl. Intell.*, 40(2014)358-375, <https://doi.org/10.1007/s10489-013-0461-5>.
- [6] M. Elhoseny, Multi-object detection and tracking (MODT) machine learning model for real-time video surveillance systems, *Circ. Syst. Signal Process.*, 39(2020)611-630, <https://doi.org/10.1007/s00034-019-01234-7>.
- [7] X. Tian, H. Daigle, Machine-learning-based object detection in images for reservoir characterization: A case study of fracture detection in shales, *Lead. Edge*, 37(2018)435-442, <https://doi.org/10.1190/tle37060435.1>.
- [8] A.R. Pathak, M. Pandey, S. Rautaray, Application of deep learning for object detection, *Procedia Comput. Sci.*, 132(2018)1706-1717, <https://doi.org/10.1016/j.procs.2018.05.144>.
- [9] E.N Minor, S.D Howard, A.A Green, M.A Glaser, C.S Park, N.A Clark, End-to-end machine learning for experimental physics: Using simulated data to train a neural network for object detection in video microscopy, *Soft Matter*, 16(2020)1751-1759, <https://doi.org/10.1039/C9SM01979K>.
- [10] Y. Liu, A. Huang, Y. Luo, H. Huang, Y. Liu, Y. Chen, L. Feng, T. Chen, H. Yu, and Q. Yang, Fedvision: An online visual object detection platform powered by federated learning, *Proc. AAAI Conf. Artif. Intell.*, 34(2020)13172-13179, <https://doi.org/10.1609/aaai.v34i08.7021>.
- [11] A. Wong, M. Famuori, M.J. Shafiee, F. Li, B. Chwyl, and J. Chung, Yolo nano: A highly compact you only look once convolutional neural network for object detection, *arXiv Prepr.*, arXiv.12(2019) 194728-194749, <https://doi.org/10.1109/EMC2-NIPS53020.2019.00013>
- [12] Sohn, K., Zhang, Z., Li, C.L., Zhang, H., Lee, C.Y. and Pfister, T., A simple semi-supervised learning framework for object detection, *arXiv Prepr.*, 1(2020)1-23.
- [13] M.M. Rahman, S. Chakma, D.M. Raza, S. Akter, and A. Sattar, Real-Time Object Detection using Machine Learning, *Proc. Int. Conf. Comput. Commun. Networking Technol.*, 12(2021)1-5, <https://doi.org/10.1109/ICCCNT51525.2021.9580170>

- [14] T.Y. Lin, P. Dollár, R. Girshick, K. He, B. Hariharan, and S. Belongie, Feature pyramid networks for object detection, Proc. IEEE Conf. Comput. Vis. Pattern Recognit., (2017)2117-2125, <https://doi.org/10.48550/arXiv.1612.03144>.
- [15] R.J. Wang, X. Li, C.X. Ling, Pelee: A real-time object detection system on mobile devices, Adv. Neural Inf. Process. Syst., 31(2018)1-10, <https://doi.org/10.48550/arXiv.1804.06882>.
- [16] E. Illing, Object detection, information extraction and analysis of operator interface images using computer vision and machine learning, Master's Thesis, Univ. South-East. Norway, (2023), <https://doi.org/10.3384/ecp200031>.
- [17] Y. Zhang, C. Song, D. Zhang, Deep learning-based object detection improvement for tomato disease, IEEE Access, 8(2020)56607-56614, <https://doi.org/10.1109/ACCESS.2020.2982456>
- [18] E. Coelho, N. Pimenta, H. Peixoto, D. Durães, P. Melo-Pinto, V. Alves, L. Bandeira, J. Machado, and P. Novais, Multi-agent System for Multimodal Machine Learning Object Detection, Int. Conf. Hybrid Artif. Intell. Syst., 18(2023)673-681, https://doi.org/10.1007/978-3-031-40725-3_57.
- [19] G. Chebil, D. Bettebghor, Y. Renollet, P. Lapouge, C. Davoine, M. Thomas, V. Favier, and M. Schneider, Deep learning object detection for optical monitoring of spatters in L-PBF, J. Mater. Process. Technol., 319(2023)118063, <https://doi.org/10.1016/j.jmatprotec.2023.118063>.
- [20]] S. Lu, B. Wang, H. Wang, L. Chen, M. Linjian, and X. Zhang., A real-time object detection algorithm for video, Comput. Electr. Eng., 77(2019)398-408, <https://doi.org/10.1016/j.compeleceng.2019.05.009>.
- [21] A. Gupta, A. Anpalagan, L. Guan, A.S. Khwaja, Deep learning for object detection and scene perception in self-driving cars: Survey, challenges, and open issues, Array, 10(2021)100057, <https://doi.org/10.1016/j.array.2021.100057>.
- [22] X. Zhou, X. Xu, W. Liang, Z. Zeng, S. Shimizu, L.T. Yang, and Q. Jin, Intelligent small object detection for digital twin in smart manufacturing with industrial cyber-physical systems, IEEE Trans. Ind. Inform., 18(2021)1377-1386, <https://doi.org/10.1109/TII.2021.3061419>.
- [23] T. Ahmad, Y. Ma, M. Yahya, B. Ahmad, S. Nazir, and A.U. Haq, Object detection through modified YOLO neural network, Sci. Program., 1(2020)8403262, <https://doi.org/10.1155/2020/8403262>.



- [24] M.G. Selvaraj, A. Vergara, F. Montenegro, H.A. Ruiz, N. Safari, D. Raymaekers, W. Ocimati, J. Ntamwira, L. Tits, A.B. Omondi, and G. Blomme, Detection of banana plants and their major diseases through aerial images and machine learning methods: A case study in DR Congo and Republic of Benin, *ISPRS J. Photogramm. Remote Sens.*, 169(2020)110-124, <https://doi.org/10.1016/j.isprsjprs.2020.08.025>.
- [25] Y. Fouad, A.M. Osman, S.A. Hassan, H.M. El-Bakry, and A.M. Elshewey, Adaptive visual sentiment prediction model based on event concepts and object detection techniques in social media, *Int. J. Adv. Comput. Sci. Appl.*, 14(2023)252-256 <https://doi.org/10.14569/IJACSA.2023.0140728>
- [26] M.M. Alam, M.T. Islam, Machine learning approach of automatic identification and counting of blood cells, *Healthc. Technol. Lett.*, 6(2019)103-108, <https://doi.org/10.1049/htl.2018.5098>.
- [27] O.M.A. Ali, S.W. Kareem, A.S. Mohammed, Evaluation of electrocardiogram signals classification using CNN, SVM, and LSTM algorithm: A review, *Proc. Int. Eng. Conf. Sustain. Technol. Dev.*, 8(2022)185-191, <https://doi.org/10.1109/IEC54822.2022.9807511>
- [28] R.A. Hamaamin, S.H. Wady, A.W.K. Sangawi, COVID-19 classification based on neutrosophic set transfer learning approach, *UHD J. Sci. Technol.*, 6(2022)11-18, <https://doi.org/10.21928/uhdjst.v6n2y2022.pp11-18>.
- [29] R.A. Hamaamin, S.H. Wady, A.W.K. Sangawi, The effect of feature extraction on COVID-19 classification, *Sci. J. Univ. Zakho*, 12(2024)227-236, <https://doi.org/10.25271/sjuoz.2024.12.2.1204>.
- [30] O.M.A. Ali, S.W. Kareem, A.S. Mohammed, Comparative evaluation for two and five classes ECG signal classification: Applied deep learning, *J. Algebraic Stat.*, 13(2022)580-596.
- [31] R.A. Hamaamin, O.M.A. Ali, S.W. Kareem, Biometric systems: A comprehensive review, *Basrah J. Sci.*, 24(2024)146-167, <https://doi.org/10.29072/basjs.20240110>.
- [32] L. Liu, W. Ouyang, X. Wang, P. Fieguth, J. Chen, X. Liu, Deep learning for generic object detection: A survey, *Int. J. Comput. Vis.*, 128(2020)261-318, <https://doi.org/10.1007/s11263-019-01256-4>.
- [33] Z.-Q. Zhao, P. Zheng, S.-T. Xu, X. Wu, Object detection with deep learning: A review, *IEEE Trans. Neural Netw. Learn. Syst.*, 30(2019)3212-3232, <https://doi.org/10.1109/TNNLS.2018.2876338>.



- [34] Z. Zou, K. Chen, Z. Shi, Y. Guo, J. Ye, Object detection in 20 years: A survey, Proc. IEEE, 111(2023)257-276, <https://doi.org/10.1109/JPROC.2023.3250410>
- [35] R. Padilla, S.L. Netto, E.A.B. da Silva, A survey on performance metrics for object-detection algorithms, Proc. Int. Conf. Syst. Signals Image Process, 13(2020)237-242, <https://doi.org/10.1109/IWSSIP48289.2020.9145130>
- [36] L. Jiao, F. Zhang, F. Liu, S. Yang, L. Li, Z. Feng, A survey of deep learning-based object detection, IEEE Access, 7(2019)128837-128868, <https://doi.org/10.1109/ACCESS.2019.2937671>
- [37] S. Ren, K. He, R. Girshick, J. Sun, Faster R-CNN: Towards real-time object detection with region proposal networks, Proc. Adv. Neural Inf. Process. Syst., 28(2015)1-19, <https://doi.org/10.48550/arXiv.1506.01497>
- [38] J. Redmon, S. Divvala, R. Girshick, A. Farhadi, You only look once: Unified real-time object detection, Proc. IEEE Conf. Comput. Vis. Pattern Recognit., (2016)779-788, <https://doi.org/10.1109/CVPR.2016.91>
- [39] . Ren, K. He, R. Girshick, J. Sun, Focal loss for dense object detection, Proc. IEEE Int. Conf. Comput. Vis., (2017)2999-3007, <https://doi.org/10.1109/ICCV.2017.324>
- [40] M. Tan, R. Pang, Q.V. Le, EfficientDet: Scalable and efficient object detection, Proc. IEEE/CVF Conf. Comput. Vis. Pattern Recognit., (2020)10778-10787, <https://doi.org/10.1109/CVPR42600.2020.01077>
- [41] N. Carion, F. Massa, G. Synnaeve, N. Usunier, A. Kirillov, and S. Zagoruyko, End-to-end object detection with transformers, Proc. Eur. Conf. Comput. Vis., (2020)213-229, https://doi.org/10.1007/978-3-030-58543-8_13
- [42] M. Raghu, T. Unterthiner, S. Kornblith, C. Zhang, and A. Dosovitskiy, Do vision transformers see like convolutional neural networks?, Proc. Adv. Neural Inf. Process. Syst., 34(2021)12116-12128, <https://doi.org/10.48550/arXiv.2104.00254>
- [43] L. Aziz, M.S.B.H. Salam, U.U. Sheikh, S. Ayub, Exploring deep learning-based architecture strategies applications and current trends in generic object detection: A comprehensive review, IEEE Access, 8(2020)170461-170495, <https://doi.org/10.1109/ACCESS.2020.3008067>
- [44] W. Li, Y. Gao, A. Li, X. Zhang, J. Gu, J. Liu, Sparse subgraph prediction based on adaptive attention, Appl. Sci., 13(2023)8166, <https://doi.org/10.3390/app13148166>

- [45] I. Misra, L. van der Maaten, Self-supervised learning of pretext-invariant representations, Proc. IEEE/CVF Conf. Comput. Vis. Pattern Recognit., (2020)6706-6716, <https://doi.org/10.1109/CVPR42600.2020.00674>
- [46] M. Iman, H.R. Arabnia, K. Rasheed, A review of deep transfer learning and recent advancements, Technol., 11(2023)40, <https://doi.org/10.3390/technologies11020040>
- [47] M. Everingham, L. Van Gool, C. K. I. Williams, J. Winn, and A. Zisserman, The PASCAL visual object classes (VOC) challenge, Int. J. Comput. Vis., 88(2010)303-338, <https://doi.org/10.1007/s11263-009-0275-4>
- [48] A. Geiger, P. Lenz, R. Urtasun, Are we ready for autonomous driving? The KITTI vision benchmark suite, Proc. IEEE Conf. Comput. Vis. Pattern Recognit., (2012)3354-3361, <https://doi.org/10.1109/CVPR.2012.6248072>
- [49] M. Everingham, S. M. A. Eslami, L. Van Gool, C. K. I. Williams, J. Winn, and A. Zisserman, The PASCAL visual object classes challenge: A retrospective, Int. J. Comput. Vis., 111(2015)98-136, <https://doi.org/10.1007/s11263-014-0738-4>
- [50] H. Law, J. Deng, CornerNet: Detecting objects as paired keypoints, Proc. Eur. Conf. Comput. Vis., (2018)734-750, https://doi.org/10.1007/978-3-030-01234-2_45
- [51] O.M.A. Ali, R.A. Hamaamin, B.J. Youns, S.W. Kareem, Innovative Machine Learning Strategies for DDoS Detection: A Review, UHD J. Sci. Technol., 8(2024)38-49, <https://doi.org/10.21928/uhdjst.v8n2y2024.pp38-49>.



إعادة تعريف اكتشاف الكائنات: مراجعة أساليب التعلم الآلي لتعزيز الدقة والكفاءة

ربيين عبدالكريم حمه أمين¹ عمر محمدا مين علي² نورا جمال بلال³ شهاب وهاب كريم^{3,4}

- 1 قسم علوم الحاسوب، كلية العلوم، جامعة جرمو، جمجمال، السليمانية، حكومة إقليم كردستان، العراق.
- 2 قسم تكنولوجيا المعلومات، معهد جمجمال التقني، جامعة السليمانية التقنية، جمجمال، السليمانية، حكومة إقليم كردستان، العراق.
- 3 قسم تقنيات هندسة نظم المعلومات، كلية التقنية الهندسية اربيل، جامعة أربيل التقنية، حكومة إقليم كردستان، العراق.
- 4 قسم هندسة الحاسوب، كلية الهندسة، جامعة نولج، اربيل العراق

المستخلص

لقد أدى التعلم العميق إلى تحسين اكتشاف الأشياء من خلال الرؤية الآلية بشكل كبير، وخاصة للتطبيقات مثل المراقبة، ومراقبة البيئة، وتفسير بيانات الطائرات بدون طيار. تدرس هذه الدراسة أساليب التعلم الآلي لتحديد الأشياء، مع التركيز على الصورة، والمثيل، والكائن، والتجزئة الدلالية. وتؤكد على أهمية شبكات CNN العميقة، التي تستخدم الطبقات التلافيفية، والتجميع، والتنشيط غير الخطي لتعزيز الدقة والسرعة. تواجه الشبكات الأساسية تحدي موازنة الأداء والكفاءة. تلعب تقنيات مثل التعامل مع أخذ العينات غير المتساوية، والتوطين، والتحسين، والتعلم المتتالي دورًا حاسمًا في تحسين الاكتشاف. كما يدعم تكثيف تحليل البيانات تحسين النموذج. تعمل التحسينات مثل تسريع نموذج مرحلة الاختبار وإزالة التكرار على تعزيز سرعة الاكتشاف ودقته. يعزز استخدام الهياكل الهرمية والمرآة التعرف على الأشياء، مما يجعل هذه التقنيات ضرورية لتحسين الاكتشاف في أنظمة الرؤية الآلية. بشكل عام، يواصل التعلم العميق، وخاصة شبكات CNN العميقة ووحدات معالجة الرسومات، تطوير مجال اكتشاف الأشياء عبر مختلف المجالات.

